

	FORMULARIO 2021 DE ENTREGA Y RECEPCIÓN DE CANASTA DE ALIMENTACIÓN JUNAEB N°1		
	LICEO J.V.LASTARRIA RBD 8928-1		
	RUT	CURSO	
1	24.619.304-5	1°A	1
2	24.868.608-1	1°A	1
3	24.907.953-7	1°A	1
4	24.646.359-K	1°A	1
5	24.834.545-4	1°A	1
6	24.639.453-9	1°A	1
7	24.851.600-3	1°A	1
8	24.832.306-K	1°A	1
9	24.725.488-9	1°A	1
10	24.647.551-2	1°A	1
11	24.735.982-6	1°A	1
12	24.847.302-9	1°A	1
13	24.619.641-9	1°A	1
14	24.903.321-9	1°A	1
15	24.595.939-7	1°A	1
16	24.889.532-2	1°B	1
17	24.715.976-2	1°B	1
18	26.813.303-8	1°B	1
19	24.600.494-3	1°B	1
20	24.866.544-0	1°B	1
21	24.322.065-3	1°B	1
22	24.937.014-2	1°B	1
23	24.879.285-K	1°B	1
24	24.584.460-3	1°B	1
25	25.848.686-2	1°B	1
26	24.635.523-1	1°B	1
27	24.878.431-8	1°B	1
28	25.848.686-2	1°B	1
29	24.916.291-0	1°B	1
30	24.851.242-3	1°B	1
31	24.405.480-3	2°A	PAE
32	24.499.146-7	2°A	PAE
33	24.467.609-K	2°A	PAE
34	24.313.138-3	2°A	PAE
35	24.519.698-9	2°A	PAE
36	24.421.768-0	2°A	PAE
37	24.247.411-2	2°A	PAE
38	24.382.207-6	2°A	1
39	24.364.191-8	2°A	PAE
40	24.295.387-8	2°A	PAE
41	24.473.981-4	2°A	PAE
42	24.547.900-K	2°B	1
43	24.450.879-0	2°B	PAE
44	24.215.944-6	2°B	1
45	24.506.768-2	2°B	1
46	24.464.458-9	2°B	1
47	24.482.999-6	2°B	PAE
48	24.471.638-5	2°B	PAE
49	24.574.428-5	2°B	1
50	23.954.366-9	3°A	PAE
51	24.150.024-1	3°A	PAE
52	24.151.633-4	3°A	PAE

53	24.233.269-5	3°A	PAE
54	24.070.094-8	3°A	PAE
55	24.227.047-9	3°A	PAE
56	24.067.918-3	3°A	PAE
57	23.826.891-5	3°A	PAE
58	23.986.758-8	3°A	1
59	23.986.783-9	3°A	1
60	24.177.595-K	3°B	CHS
61	23.972.683-6	3°B	PAE
62	24.192.365-7	3°B	PAE
63	23.997.086-9	3°B	PAE
64	26.080.206-2	3°B	PAE
65	24.073.820-1	3°B	PAE
66	24.062.182-7	3°B	PAE
67	24.183.249-K	3°B	PAE
68	24.107.048-4	3°B	PAE
69	24.118.488-9	3°B	PAE
70	24.118.471-4	3°B	
71	24.271.078-9	3°B	PAE
72	24.079.455-1	3°B	PAE
73	100.403.038-5	3°B	40%
74	24.082.073-0	3°B	1
75	23.912.221-3	4°A	PAE
76	23.668.398-2	4°A	PAE
77	23.919.855-4	4°A	PAE
78	23.839.840-1	4°A	PAE
79	23.756.597-5	4°A	PAE
80	23.742.218-K	4°A	PAE
81	23.760.582-9	4°A	PAE
82	23.778.066-3	4°A	PAE
83	23.891.192-3	4°A	1
84	23.852.520-9	4°A	PAE
85	23.810.051-8	4°A	PAE
86	23.888.359-8	4°A	PAE
87	23.615.973-6	4°A	1
88	23.901.149-7	4°A	CHS
89	23.754.348-3	4°B	PAE
90	23.734.078-7	4°B	PAE
91	23.750.697-9	4°B	PAE
92	23.728.489-5	4°B	PAE
93	23.833.095-5	4°B	PAE
94	23.734.356-5	4°B	
95	23.729.224-3	4°B	PAE
96	23.777.503-1	4°B	PAE
97	23.820.158-6	4°B	PAE
98	23.408.796-7	4°B	PAE
99	23.499.731-9	5°A	PAE
100	23.427.199-7	5°A	PAE
101	23.388.894-K	5°A	PAE
102	23.376.021-8	5°A	PAE
103	23.443.439-K	5°A	PAE
104	23.467.411-0	5°A	PAE
105	23.391.883-0	5°A	PAE
106	23.349.276-0	5°A	PAE
107	23.360.874-2	5°A	PAE
108	23.513.607-4	5°A	PAE
109	23.412.377-7	5°A	PAE
110	23.391.382-0	5°A	PAE
111	23.597.040-6	5°B	CHS
112	23.330.969-9	5°B	PAE
113	23.425.394-8	5°B	PAE
114	23.638.747-K	5°B	PAE

115	23.592.975-9	5°B	PAE
116	23.204.311-3	5°B	PAE
117	23.204.329-6	5°B	PAE
118	23.434.774-8	5°B	PAE
119	23.344.173-2	5°B	PAE
120	23.299.353-7	5°B	PAE
121	23.299.737-0	5°B	PAE
122	23.361.734-2	5°B	PAE
123	23.543.294-3	5°B	PAE
124	26.504.731-9	5°B	PAE
125	23.359.364-8	5°B	PAE
126	23.369.935-7	5°B	1
127	23.353.202-9	5°B	1
128	23.022.492-7	6°A	PAE
129	23.128.534-2	6°A	1
130	23.066.916-3	6°A	PAE
131	23.115.937-1	6°A	PAE
132	23.166.568-4	6°A	PAE
133	22.992.180-0	6°A	PAE
134	23.262.395-0	6°A	PAE
135	23.098.070-5	6°A	PAE
136	23.012.492-2	6°A	CHS
137	23.155.580-3	6°A	PAE
138	23.344.082-5	6°A	PAE
139	23.168.770-K	6°A	PAE
140	23.095.164-0	6°A	PAE
141	23.123.728-3	6°A	PAE
142	23.064.366-0	6°A	PAE
143	23.141.239-5	6°A	PAE
144	23.086.285-0	6°A	PAE
145	23.035.132-5	6°A	PAE
146	22.988.601-0	6°B	PAE
147	23.120.835-6	6°B	PAE
148	23.186.608-6	6°B	PAE
149	22.922.396-8	6°B	CHS
150	23.004.140-7	6°B	PAE
151	23.165.313-9	6°B	PAE
152	23.230.390-5	6°B	PAE
153	23.144.593-5	6°B	PAE
154	23.051.397-K	6°B	PAE
155	23.223.195-5	6°B	PAE
156	23.240.305-5	6°B	PAE
157	23.126.708-5	6°B	PAE
158	23.283.973-2	6°B	PAE
159	23.159.959-2	6°B	PAE
160	23.001.729-8	6°B	1
161	25.848.649-8	6°B	1
162	23.323.305-6	6°B	CHS
163	22.848.319-2	7°A	PAE
164	22.957.869-3	7°A	PAE
165	22.760.092-6	7°A	PAE
166	22.731.734-5	7°A	PAE
167	22.922.811-0	7°A	PAE
168	22.433.142-8	7°A	PAE
169	22.876.814-6	7°A	PAE
170	22.297.830-2	7°B	PAE
171	22.816.653-7	7°B	PAE
172	22.911.382-8	7°B	PAE
173	22.976.681-3	7°B	PAE
174	22.850.677-K	7°B	PAE
175	22.936.687-4	7°B	PAE
176	22.921.629-5	7°B	PAE

177	22.863.086-1	7°B	PAE
178	22.911.273-2	7°B	CHS
179	22.984.617-5	7°C	PAE
180	22.743.575-5	7°C	PAE
181	22.999.923-0	7°C	PAE
182	22.763.483-9	7°C	PAE
183	22.704.296-6	7°C	PAE
184	22.726.221-4	7°C	PAE
185	22.742.735-3	7°C	PAE
186	22.741.599-1	7°D	PAE
187	22.953.249-9	7°D	PAE
188	24.646.404-9	7°D	PAE
189	22.691.570-2	7°D	PAE
190	22.788.985-3	7°D	PAE
191	22.939.301-4	7°D	PAE
192	22.481.931-5	8°A	PAE
193	22.402.232-8	8°A	PAE
194	22.360.336-K	8°A	PAE
195	22.518.975-7	8°A	PAE
196	22.672.516-4	8°A	PAE
197	22.411.977-1	8°A	PAE
198	22.153.149-3	8°A	PAE
199	22.658.187-1	8°A	PAE
200	22.647.492-7	8°A	PAE
201	22.614.748-9	8°A	PAE
202	22.378.403-8	8°A	1
203	22.640.239-K	8°A	40%
204	22.525.813-9	8°A	PAE
205	22.539.326-5	8°A	PAE
206	22.437.261-2	8°A	PAE
207	22.564.147-1	8°A	PAE
208	22.643.287-6	8°A	PAE
209	22.546.677-7	8°B	PAE
210	22.429.138-8	8°B	PAE
211	22.638.999-7	8°B	PAE
212	22.487.584-3	8°B	PAE
213	22.675.151-3	8°B	PAE
214	22.673.576-3	8°B	PAE
215	22.593.260-3	8°B	PAE
216	22.581.712-K	8°B	PAE
217	22.489.782-0	8°B	PAE
218	22.597.303-2	8°B	PAE
219	22.581.879-7	8°B	PAE
220	22.451.472-7	8°C	CHS
221	22.583.322-2	8°C	PAE
222	22.573.531-K	8°C	PAE
223	22.494.240-0	8°C	PAE
224	22.498.702-1	8°C	1
225	22.483.575-2	8°C	PAE
226	22.601.366-0	8°C	PAE
227	22.500.122-7	8°C	CHS
228	22.530.362-2	8°C	1
229	22.752.136-8	8°C	1
230	22.446.368-5	8°D	1
231	22.626.206-7	8°D	PAE
232	22.409.984-3	8°D	PAE
233	22.425.859-3	8°D	1
234	22.529.847-5	8°D	PAE
235	22.559.382-5	8°D	PAE
236	22.639.511-3	8°D	1
237	22.572.602-7	8°D	1
238	22.525.536-9	8°D	CHS

239	22.489.630-1	8°D	PAE
240	22.566.742-K	8°D	PAE
241	22.652.541-6	8°D	PAE
242	22.433.641-1	8°D	PAE
243	22.370.309-7	8°D	1
244	22.473.866-2	8°D	1
245	22.575.385-7	8°D	1
246	22.621.868-8	8°D	PAE
247	22.378.615-4	8°D	1
248	22.563.796-2	8°D	PAE
249	22.125.155-5	1°MA	PAE
250	22.381.279-1	1°MA	PAE
251	22.182.113-0	1°MA	PAE
252	22.286.309-0	1°MB	PAE
253	22.157.522-9	1°MB	PRO
254	24.856.707-4	1°MB	PAE
255	22.294.774-K	1°MB	PAE
256	22.334.750-9	1°MB	PAE
257	22.262.829-6	1°MB	PAE
258	22.314.215-K	1°MB	PAE
259	22.324.544-7	1°MB	PAE
260	22.098.083-9	1°MB	PAE
261	22.284.805-9	1°MC	CHS-PRO
262	22.251.759-1	1°MC	PAE
263	22.104.599-8	1°MC	CHS-PRO
264	26.711.858-2	1°MC	PAE
265	21.916.934-5	1°MC	PAE
266	22.248.049-3	1°MC	PAE
267	22.305.585-0	1°MC	PAE
268	22.105.391-5	1°MC	PAE
269	22.106.471-2	1°MC	CHS
270	22.102.244-0	1°MC	PAE
271	22.271.488-5	1°MC	PAE
272	22.136.726-K	1°MC	PAE
273	22.182.684-1	1°MD	PAE
274	22.309.237-3	1°MD	PAE
275	22.098.760-4	1°MD	PAE
276	22.273.366-9	1°MD	PAE
277	22.170.590-4	1°MD	PAE
278	22.116.248-2	1°MD	1
279	22.112.188-0	1°MD	PAE
280	22.137.670-6	1°MD	PAE
281	22.150.347-3	1°MD	PAE
282	22.236.715-8	1°MD	PAE
283	22.122.071-4	1°MD	PAE
284	22.119.075-0	1°ME	PAE
285	22.232.296-0	1°ME	PAE
286	22.280.259-8	1°ME	PAE
287	22.260.298-2	1°ME	PAE
288	22.315.950-8	1°ME	CHS-PRO
289	22.241.614-0	1°ME	PAE
290	22.170.973-K	1°ME	CHS-PRO
291	22.119.545-0	2°MA	CHS
292	22.087.641-1	2°MA	CHS
293	21.886.399-K	2°MA	PAE
294	21.829.437-5	2°MA	1
295	22.036.413-5	2°MA	1
296	22.045.224-7	2°MA	1
297	22.085.682-8	2°MA	1
298	21.939.136-6	2°MB	1
299	21.951.506-5	2°MB	PAE
300	21.805.050-6	2°MB	PAE

301	22.008.054-4	2°MB	CHS
302	22.116.265-K	2°MB	CHS
303	21.938.192-1	2°MB	CHS
304	26.954.759-6	2°MB	PAE
305	22.057.866-6	2°MB	PAE
306	21.967.703-0	2°MB	CHS
307	22.017.845-5	2°MB	CHS
308	21.990.414-2	2°MC	1
309	23.915.936-2	2°MC	1
310	21.958.465-2	2°MC	1
311	21.992.888-2	2°MC	1
312	22.017.217-1	2°MD	PAE
313	22.059.335-5	2°MD	CHS
314	22.072.858-7	2°MD	PAE
315	22.096.346-2	2°MD	CHS
316	22.015.872-1	2°MD	CHS
317	21.721.024-0	2°MD	PAE
318	22.096.235-0	2°ME	PAE
319	21.831.358-2	2°ME	PAE
320	21.938.484-k	2°ME	PAE
321	21.695.731-8	2°ME	PAE
322	21.843.679-K	2°ME	PAE
323	22.084.881-7	2°ME	PAE
324	21.885.850-3	2°ME	PAE
325	21.907.844-7	2°ME	PAE
326	24.399.944-4	2°ME	PAE
327	21.738.944-5	2°ME	PAE
328	22.029.714-4	2°ME	PAE
329	21.941.778-0	2°ME	PAE
330	21.658.082-6	2°ME	1
331	21.938.009-7	2°ME	CHS-PRO
332	21.709.106-3	2°MF	PAE
333	21.811.365-6	2°MF	PAE
334	22.004.720-2	2°MF	PAE
335	21.985.328-9	2°MF	PAE
336	21.888.843-7	2°MF	PAE
337	22.025.202-7	2°MF	PAE
338	21.846.871-3	2°MF	PAE
339	21.809.350-7	2°MF	PAE
340	22.062.843-4	2°MF	PAE
341	26.819.700-1	2°MF	40%
342	22.110.113-8	2°MF	CHS-PRO
343	21.998.601-7	2°MF	CHS-PRO
344	21.952.224-K	2°MF	PAE
345	21.971.453-K	2°MF	PAE
346	21.694.235-3	2°MG	CHS-PRO
347	22.136.500-3	2°MG	PAE
348	21.971.930-2	2°MG	CHS
349	21.856.093-8	2°MG	PAE
350	21.935.447-9	2°MG	PAE
351	21.865.112-7	2°MG	PAE
352	21.843.573-4	2°MG	PAE
353	21.782.700-0	2°MG	PAE
354	21.760.372-2	2°MG	CHS-PRO
355	21.926.172-1	2°MG	PAE
356	21.860.303-3	2°MG	PAE
357	21.995.056-K	2°MG	1
358	21.856.864-5	2°MG	CHS-PRO
359	21.981.708-8	2°MH	CHS
360	21.886.408-2	2°MH	PAE
361	22.034.629-3	2°MH	PAE
362	22.141.292-3	2°MH	1

363	21.946.669-2	2°MH	1
364	21.601.987-3	2°MH	1
365	21.856.843-2	2°MH	PAE
366	22.028.500-6	2°MI	PAE
367	22.022.196-2	2°MI	PAE
368	21.772.985-8	2°MI	1
369	22.133.334-9	2°MI	1
370	21.948.361-9	2°MI	1
371	21.931.841-3	2°MI	CHS
372	22.112.549-5	2°MI	CHS
373	22.573.291-4	2°MI	1
374	22.115.652-8	2°MJ	CHS
375	21.991.738-4	2°MJ	CHS
376	21.933.701-9	2°MJ	CHS-PRO
377	22.090.143-2	2°MJ	PAE
378	21.855.897-6	2°MJ	CHS
379	22.003.260-4	2°MJ	CHS
380	22.086.734-K	2°MJ	PAE
381	21.899.555-1	2°MJ	CHS
382	22.889.587-K	2°MJ	1
383	21.813.414-9	2°MJ	CHS
384	21.930.661-K	2°MJ	CHS
385	25.090.853-5	2°MJ	1
386	22.079.914-K	2°MJ	1
387	21.655.806-5	3°MA	PAE
388	21.374.620-0	3°MA	PRO
389	21.578.733-8	3°MA	PAE
390	21.676.051-4	3°MA	PAE
391	21.588.394-9	3°MA	PAE
392	21.681.865-2	3°MB	CHS-PRO
393	21.120.136-3	3°MB	PAE
394	21.338.396-5	3°MB	PAE
395	21.661.879-3	3°MB	PAE
396	23.424.285-7	3°MB	PAE
397	21.430.290-K	3°MB	CHS-PRO
398	21.660.769-4	3°MB	PAE
399	21.757.109-K	3°MB	PAE
400	21.647.602-6	3°MB	CHS-PRO
401	21.667.648-3	3°MB	PAE
402	21.504.661-3	3°MB	PAE
403	21.571.867-0	3°MB	PAE
404	21.579.636-1	3°MB	PAE
405	21.377.758-0	3°MC	PAE
406	21.693.212-9	3°MC	PAE
407	21.348.175-4	3°MC	CHS-PRO
408	21.767.256-2	3°MC	CHS-PRO
409	21.764.336-8	3°MC	CHS
410	21.721.169-7	3°MC	PAE
411	21.621.979-1	3°MC	CHS-PRO
412	21.795.898-9	3°MC	PAE
413	21.281.919-0	3°MD	CHS-PRO
414	21.656.914-8	3°MD	PAE
415	21.695.995-7	3°MD	PAE
416	21.038.420-0	3°MD	PAE
417	21.693.495-4	3°MD	PAE
418	21.643.064-6	3°MD	CHS-PRO
419	21.563.301-2	3°MD	CHS-PRO
420	21.630.848-4	3°ME	PAE
421	21.690.909-7	3°ME	PAE
422	21.798.406-3	3°ME	PAE
423	21.590.276-5	3°ME	PAE
424	21.694.358-9	3°ME	PAE

425	21.285.082-9	3°ME	PAE
426	21.805.471.4	3°MF	CHS-PRO
427	21.470.644-K	3°MF	PAE
428	21.392.127-4	3°MF	PAE
429	21.700.993-6	3°MF	PAE
430	21.507.003-4	3°MF	PAE
431	21.776.152-2	3°MF	PAE
432	21.700.609-0	3°MF	PAE
433	21.551.360-2	3°MG	PAE
434	21.744.929-4	3°MG	PAE
435	21.652.761-5	3°MG	PAE
436	21.580.002-4	3°MG	CHS-PRO
437	21.736.566-K	3°MG	CHS-PRO
438	21.827.000-K	3°MG	CHS-PRO
439	21.775.623-5	3°MG	PAE
440	21.743.351-7	3°MG	PAE
441	21.755.501-9	3°MG	PAE
442	21.643.171-5	3°MH	PAE
443	24.616.264-6	3°MH	PAE
444	21.242.923-6	3°MH	CHS-PRO
445	21.780.289-K	3°MH	CHS-PRO
446	21.784.370-7	3°MH	CHS-PRO
447	21.612.916-4	3°MH	CHS-PRO
448	21.658.415-5	3°MI	PAE
449	21.568.635-3	3°MI	PAE
450	21.594.008-K	3°MI	PAE
451	21.782.312-9	3°MI	PAE
452	21.561.959-1	3°MI	PAE
453	21.641.240-0	3°MI	CHS-PRO
454	21.757.271-1	3°MI	PAE
455	21.312.707-1	3°MI	PAE
456	21.401.264-2	3°MJ	1
457	21.607.104-2	3°MJ	1
458	21.194.040-9	3°MJ	PAE
459	21.666.072-2	3°MJ	PAE
460	21.517.978-8	3°MJ	PAE
461	21.769.683-6	3°MJ	CHS-PRO
462	21.742.372-4	3°MJ	PAE
463	21.600.164-8	3°MJ	PAE
464	21.582.333-4	4°MA	PAE
465	21.486.677-3	4°MA	PAE
466	22.227.761-2	4°MA	PAE
467	21.463.011-7	4°MA	PAE
468	21.483.806-0	4°MA	CHS-PRO
469	21.552.204-7	4°MA	PAE
470	21.287.060-9	4°MA	PAE
471	21.559.856-K	4°MA	PAE
472	21.480.259-7	4°MA	PAE
473	21.361.620-K	4°MA	PAE
474	21.082.206-2	4°MA	PAE
475	21.249.905-6	4°MA	PAE
476	21.549.231-1	4°MA	PAE
477	21.559.546-3	4°MA	PAE
478	21.403.334-8	4°MA	PAE
479	21.385.988-9	4°MB	CHS-PRO
480	21.334.598-2	4°MB	PAE
481	21.307.718-K	4°MB	PAE
482	21.311.494-8	4°MB	PAE
483	21.396.838-6	4°MB	PAE
484	21.355.725-4	4°MB	PAE
485	23.696.530-9	4°MB	PAE
486	21.009.074-6	4°MC	PAE

487	21.508.429-9	4°MC	CHS-PRO
488	21.244.858-3	4°MC	PAE
489	21.242.828-0	4°MC	PAE
490	21.301.095-6	4°MC	PAE
491	21.005.246-1	4°MC	PAE
492	21.356.604-0	4°MC	PAE
493	21.292.262-5	4°MD	PAE
494	21.152.368-9	4°MD	CHS-PRO
495	21.140.251-2	4°MD	PAE
496	21.474.076-1	4°MD	PAE
497	21.504.571-4	4°MD	PAE
498	21.326.419-2	4°MD	PAE
499	21.299.374-3	4°MD	PAE
500	21.273.357-1	4°MD	PAE
501	21.396.886-6	4°MD	PAE
502	20.906.938-5	4°MD	PAE
503	20.819.765-7	4°MD	PAE
504	20.785.317-8	4°MD	PAE
505	21.060.816-8	4°MD	CHS
506	21.297.039-5	4°ME	PAE
507	21.133.642-0	4°ME	PAE
508	21.373.941-7	4°ME	PRO
509	21.357.480-9	4°ME	PAE
510	21.243.197-4	4°ME	CHS-PRO
511	21.579.127-0	4°ME	PAE
512	21.126.645-7	4°ME	PAE
513	21.043.509-3	4°ME	CHS-PRO
514	21.512.049-4	4°ME	PRO
515	21.382.385-K	4°ME	PRO
516	20.673.672-0	4°MF	PAE
517	21.507.681-4	4°MF	PAE
518	21.367.465-4	4°MF	PAE
519	21.185.117-1	4°MF	CHS-PRO
520	21.482.544-9	4°MF	PAE
521	21.244.317-4	4°MF	PAE
522	26.061.466-5	4°MF	PAE
523	20.722.192-9	4°MF	PAE
524	21.443.036-3	4°MF	PAE
525	21.565.751-5	4°MF	PAE
526	21.233.936-9	4°MF	PAE
527	21.354.722-4	4°MF	PAE
528	21.093.144-9	4°MF	PAE
529	21.410.880-1	4°MF	PAE
530	21.463.795-2	4°MF	CHS-PRO
531	21.483.725-0	4°MG	PAE
532	21.448.807-8	4°MG	PAE
533	21.366.633-9	4°MG	CHS-PRO
534	21.342.021-6	4°MG	PAE
535	25.393.822-6	4°MG	PAE
536	21.319.197-7	4°MG	PAE
537	21.299.717-K	4°MG	PAE
538	21.401.546-3	4°MG	PAE
539	21.119.484-7	4°MG	PAE
540	21.388.515-4	4°MG	PAE
541	21.361.207-7	4°MG	PAE
542	21.477.848-3	4°MG	PAE
543	21.595.729-2	4°MG	PAE
544	21.444.714-2	4°MG	PAE
545	21.271.612-K	4°MG	PAE
546	21.206.437-8	4°MG	PAE
547	21.412.277-4	4°MG	PAE
548	22.152.879-4	4°MH	CHS-PRO

549	21.498.480-6	4°MH	PAE
550	21.457.225-7	4°MH	CHS-PRO
551	21.031.526-8	4°MH	PAE
552	20.788.304-2	4°MH	CHS-PRO
553	21.243.247-4	4°MH	PAE
554	21.266.346-8	4°MH	PAE
555	25.766.536-4	4°MH	40%
556	21.294.321-5	4°MI	PAE
557	21.487.974-3	4°MI	PAE
558	24.854.553-4	4°MI	PAE
559	21.413.316-4	4°MI	CHS-PRO
560	21.535.378-8	4°MI	PAE
561	21.549.256-7	4°MI	PAE
562	21.387.013-0	4°MI	PAE
563	21.265.706-9	4°MI	PAE
564	20.951.631-4	4°MI	PAE
565	25.780.999-4	4°MI	PAE
566	21.396.749-5	4°MI	CHS-PRO
567	21.502.674-4	4°MI	PAE
568	20.819.500-K	4°MI	PAE
569	21.512.734-6	4°MI	PAE
570	21.508.070-5	4°MI	PAE
571	21.464.116-K	4°MI	PRO
572	21.485.241-1	4°MI	